

Bfly Garden Tasks--to do list inc

Done?	Task	Due on/Repeat
q	EVERY DAY check overall garden/ GH's in morning	Today / Daily
q	EVERY DAY check garden/GH's in evening	Today / Daily
q	EVERY DAY Collect biflora larval food for lab	Today / Daily
q	EVERY DAY: Collect eggs	Today / Daily
q	EVERY DAY: Pupae hung? (bring out on or before day 8 after pupating--don't forget to put date on outside of basket)	Today / Daily
q	EVERY DAY: Psiguria-move flowers in during the morning -- EVERY DAY	Today / Daily
q	Repot small Lantana	Today / 1x only
q	Sugar soil. -- don't forget to double check that each cage has enough (see ant trap note below)	Today / 1x weekly
q	Move Lantana out/in	Today / 1x weekly
q	Cage map!	Today / Weekly or if numbers look low
q	Sort lantana and prepare to spray	Today / 2x monthly
q	Ck irrigation system	7-Aug-01/1 2x per week or if plants look dry
q	Fertilize Lantana & Psiguria flowers 5-15-50	Today / 2x monthly
q	Fertilize, biflora and other Passiflora 20-20-20 or osmocote	Today / 2x monthly
q	AS NECESSARY: Biflora w/mites collect eggs, cut out & switch out of cages	Today / 2x monthly

- q AS NECESSARY: Finish weeding the edge of beds and nailing down bed cloth Today / 2x monthly
- q AS NECESSARY: Patch net holes (if you find any) Today / 2x monthly
- q Treat Lantana with horticultural oil Today / 3 days (1,3,5) 2x monthly (see note)
- q Treat Lantana with horticultural oil -- SECOND TREATMENT Day after tomorrow / 3 days (1,3,5) 2x monthly (see note)
- q Treat Lantana with horticultural oil -- THIRD TREATMENT On day 5 / 5 days (1,3,5) 2x monthly (see note)
- q Weed wack! Today / 1x monthly
- q Weed beds & cut back on some biflora Today / 1x monthly
- q Clean up garden, Small & large GH Today / 1x monthly
- q Make ant squirrel traps for all sugar H2O when putting in new sugar holders

Iuding frequency of REPEAT

Notes

Water inside if necessary

water inside at least 1x per 2 days, water around beds as needed

Make sure to get food that was not chewed on by Dione the local Heliconiine larvae. Toss excess Dione into the weed patch! :(=

Monitor the system, critical to get enough eggs to compensate for sterility & disease--Follow along the database carefully Ana Maria

(Ana Maria -- bring out on or before day 8 after pupating--don't forget to put date on outside of basket)

This is critical for stock maintenance as it boosts the female's reproductive output. Give preference to NOT, STOCK and NB3 females

These need to be repotted (Alex knows how) and placed into the main Lantana bed in the sun!

Test frequently for too much dilution from mist or too much evaporation if not in the mist!

Outgoing Lantana are to be trimmed, hosed off and/or sprayed with Horticultural oil from the small sprayer or as part of an overall treatment of all plants.

Helps us keep track of and respond to mortality difficulties!

--follow directions on inside of computer controller to water "all stations" program C which turns on all stations in sequence -- see my note) REMEMBER TO ALWAYS LEAVE THE CONTROLLER IN THE RUN POSITION

Check size of old osmocote beads to see if you need more (follow directions)

--please leave them inside the overall greenhouses for several days to check for larvae (ALL)

(please nail close to the cement to cover over area where weeds can grow!)... (ALL--party)

note. •mix is 5 tablespoons per gallon (10 per container) usually takes 1.5 containers (3 gallons to treat all Lantana in Garden--don't treat other plants). •Treat 3x in 5 days (or 7 days) then wait at least 2 weeks.

Note: •Mix is 5 tablespoons per gallon (10 per container) usually takes 1.5 containers (3 gallons to treat all Lantana in Garden--don't treat other plants). •Treat 3x in 5 days (or 7 days) then wait at least 2 weeks.

note. •mix is 5 tablespoons per gallon (10 per container) usually takes 1.5 containers (3 gallons to treat all Lantana in Garden--don't treat other plants). •Treat 3x in 5 days (or 7 days) then wait at least 2 weeks.

Wait to see what is mowed on Thursday

These beds are extremely grassy and weedy, cut the plants back if necessary to untangle them, kill off Dione larvae.

--very simple. Push cup onto wire and down about 3" then add a small amount of tangle-foot. Done!